


ENDURA® 900LINEAR COMPACT GANTRY MILLING MACHINE



ADVANTAGES AT A GLANCE

- Large machining area, small installation surface, can be set up without foundation
- Direct drive motors in all axes (linear and torque motors)
- High structural rigidity, highest dynamics and accuracies
- Thermal decoupling of short-term temperature fluctuations by Thermo Guard



FURTHER
INFORMATION



FOOKE GmbH
Raiffeisenstraße 18-22
46325 Borken

+49 (0) 2861 8009 - 222
sales@fooke.de

www.fooke-machines.com

ENDURA® 900LINEAR
COMPACT GANTRY
MILLING MACHINE



TECHNICAL
DATA

| | Traverse paths [mm] | Feed rate [mm/min] | Acceleration [m/s ²] |
|--------|------------------------|-----------------------|-------------------------------------|
| X-axis | 2,500 / 5,500 / 8,900 | 5 - 65,000 | up to 5 |
| Y-axis | 3,500 | 5 - 65,000 | |
| Z-axis | 1,500 | 5 - 65,000 | |

MATERIALS

| | Plastics | Block- materials for modellingl | Composite materials (CFRP / GRP) | Aluminum | Cast Iron | Steel |
|-------|----------|---------------------------------------|--|----------|-----------|-------|
| MH 4 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| MH 8 | - | - | - | ✓ | ✓ | ✓ |
| MH 12 | - | - | - | ✓ | ✓ | ✓ |
| MH 15 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |